

Tetanus, Diphtheria, and Pertussis Vaccine

About half of infants under 12 months of age who get whooping cough are hospitalized.

One person with pertussis can infect up to 15 other people.

Babies who get whooping cough often catch it from a family member.

Tdap or Td vaccines protect against 3 different bacterial infections:

- Tetanus (T), commonly known as lockjaw, causes your muscles to become stiff, especially around your neck and jaw, making it hard to open the mouth or swallow.
- Diphtheria (d) is a serious infection that causes thick mucus in the back of your throat, leading to difficulty breathing, heart failure, paralysis, and even death.
- Pertussis (aP), also known as whooping cough, is a highly-contagious respiratory disease that can cause uncontrollable severe coughing, making it difficult to breathe.



DTaP

for young children

- > 2, 4, and 6 months
- > 15 through 18 months
- > 4 through 6 years

Tdap

for preteens

- > 11 through 12 years

Tdap

for pregnant women

- > During the 27–36th week of each pregnancy

Tdap or Td

for adults

- > Anytime for those who have never received it or every 10 years

Vacuna Contra El Tétanos, La Difteria, Y La Tos Ferina.

Aproximadamente la mitad de los niños menores de 12 meses que contraen la tos ferina son hospitalizados.

Una persona con tos ferina puede infectar hasta a otras 15 personas.

Los bebés que contraen la tos ferina suelen contagiarse de algún familiar.

Las vacunas Tdap o Td protegen contra 3 infecciones bacterianas diferentes:

- El tétanos (T), comúnmente conocido como trismo, provoca rigidez muscular, sobre todo alrededor del cuello y la mandíbula, lo que dificulta abrir la boca o tragar.
- La difteria (d) es una infección grave que causa una flema espesa en la parte posterior de la garganta, lo que provoca dificultad para respirar, un paro cardíaco, parálisis e incluso la muerte.
- La tos ferina (aP), también conocida como tos convulsa, es una enfermedad respiratoria muy contagiosa que puede provocar una tos intensa e incontrolable que dificulta la respiración.



Dtap

para niños pequeños


- 2,4 y 6 meses
- 15 a 18 meses
- 4 a 6 años



Tdap

Para preadolescentes

- 11 a 12 años



Tdap

Para embarazadas

- Durante la semana 27-36 de cada embarazo



Tdap or Td

Para adultos

- En cualquier momento para quienes nunca la hayan recibido o cada 10 años.